



1 forward cabin - 1 Toilet, 2 Aft cabins - 1 Toilet



1 forward cabin - 1 Toilet, 1 AFT cabin - 1 Toilet

GENERAL SPECIFICATIONS

• L.O.A	14,40 m	47'3"
• Hull length	13,68 m	44'11"
• L.W.L.	12,20 m	40'
• Beam	4,25 m	13'11"
• Deep draught (min)	2,05 m	6'9"
• Deep ballast weight	2 915 kg	6,425 lbs
• Shallow draught (min)	1,70 m	5'7"
• Shallow ballast weight	3 240 kg	7,141 lbs
• Air draught (max)	19,05 m	62'6"
• Light displacement	10 565 kg	23,285 lbs
• Fuel capacity	200 l	53 US Gal
• Freshwater capacity	530 l	140 US Gal
• Engine power	75 HP Sail Drive	75 HP Sail Drive

ARCHITECT / DESIGNERS

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

EC CERTIFICATE

- Category A - 8 persons
- Category B - 9 persons
- Category C - 14 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	44,40 m ²	477.91 ft ²
• Genoa (140 %)	49,10 m ²	528.50 ft ²
• Asymmetric spinnaker	120 m ²	1,291.67 ft ²
• I	16,43 m	53'11"
• J	5,00 m	16'5"
• P	15,27 m	50'1"
• E	5,30 m	17'5"

STANDARD EQUIPMENT

CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join bordered and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass compound stock
- White coloured hull - Hull decorated in pearl grey

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck, 2 levels of advanced cross trees
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- Single backstay with turnbuckle
- Rigid kicking strap with tackle
- Genoa furling system with drum on the deck
- Mainsail sheet track
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 fast reefing ropes, 1 manual reef
- 10 Jammers
- 6 Jamming cleats

WINCHES

- 2 Self-tailing genoa sheet winches (H50.2 STC)
- 2 Self tailing coachroof winches (H40.2 STC)
- 2 Winch handles aluminium
- 2 Winch handle boxes

SAILS

- Furling genoa with UV protective strip
- Semi full batten written sail with slider and roller slider
- Lazy Jack and Easy bag in Perle colour

MOORING -ANCHORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- Stainless steel bow fitting 2 rollers
- 12 V - 1000 W Vertical electrical windlass - Remote control
- 6 Aluminium mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Opening to port and to starboard in guardrail
- 2 Stainless steel handrails

COCKPIT

- Self-draining cockpit
- 1 Port cockpit locker
- 2 Lockers under helm seat
- 1 Gas locker for 2 bottles in cockpit bottom
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm / 2'11" diameter - leather covered - rudder systems on partition - metal cable transmission system - Stainless steel handrail - navigation instrument stand (optional instruments)
- 1 Deck hole for access to tiller system
- 1 Tiller
- 2 Steering compass on binacple
- Engine throttle and control panel to starboard
- Polyester cockpit table - 2 flaps - glove boxes - central bottle holder - bottle holder on reverse side - Stainless steel handrail - 12 V socket - lamp with shade
- 2 Waterproof loudspeakers
- 2 Companionway door on solid wood hinges - Sliding hatch made of PMMA

AFT TRANSOM

- Access door pivoted on pantograph (Patented)
- Natural solid wood decking on sun deck
- 1 Cased life-raft locker in upper stern - 2 doors
- 1 Stainless steel swimming ladder - solid wood steps
- 1 Hot and cold cockpit shower
- 1 Shore power socket

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Deck and hull counter moulding covered with vinyl fabric spar ceiling
- Fabric upholstery

COMPANIONWAY

- Headroom: 1,98 m / 6'6"
- Wooden companionway with hung steps in moulded wood with non-slip surface
- 4 Stainless steel handrails

FORWARD CABIN

- Headroom: 1,95 m / 6'5"
- Central double bed (2,00 x 1,90 m / 6'7" x 6'3"), Marine mattress
- Hanging locker, Cupboard and glove boxes
- 1 Sideboard to starboard
- 2 Hull portholes with curtain
- 2 Opening deck hatches with blind / mosquito nets

FORE WASHROOM

- Headroom: 1,95 m / 6'5"
- Washroom moulded in one piece to be watertight
- Separate shower with 3 section shower screen, shower mixer tap hot / cold water
- Manual marine toilet
- Washbasin - Synthetic resin worktop, Mixing tap hot water / cold water
- Mirror
- Toilet accessories: Glass holder, Soap tray, Towel rail, Bin, Paper dispenser
- Cupboard and cubby hole
- 1 Opening deck hatch with shutter / mosquito nets

SALOON

- Headroom: 1,94 m / 6'4"
- U shaped saloon bench, double density foam
- Saloon table in only 1 piece, Varnished wood top with inlay, Aluminium legs

- 2 person bench seat with central foldaway armrest
- 4 Matching decorative cushions
- Cupboards, Cubby hole lockers and storage along the hull, Storage under bench seats
- 1 Panoramique window with pleated blinds
- 2 Hull portholes with curtain
- 2 fixed deckhouse side windows with pleated blinds
- 1 Porthole opening onto coaming in the starboard side window
- 3 Opening deck hatches with blind / mosquito nets

CHART TABLE

- Control console with flap - glove boxes - Storage - Moulded wood beading
- Helmsman seat with cushion
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- Radio CD player / Stereo MP3 - 2 Loud speakers
- 1 White light fitting / Red
- Stainless steel handrail on partition

GALLEY

- Headroom: 1,95 m / 6'5"
- U-shaped kitchen fitted into companionway
- Synthetic resin worktop
- 1 Stainless steel sink 2 rectangular basins - Cutting board
- 1 Mixer tap cold water / hot
- 1 Gas cooker 2 hobs, Stainless steel oven on mountings, Stainless steel protection handrail
- 1 Fridge 130 l, 12 V Refrigeration unit, front opening
- 1 Cool box 100 l, top opening
- 1 cutlery drawer
- Fitted cupboards and lockers (shelves, stainless steel basin on slider, tea towel holder, Bin, bottle holder)
- 1 Opening porthole with curtain

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 2,05 m / 6'9"
- Washroom moulded in one piece to be watertight
- Separate shower, shower mixer tap hot / cold water - 2 door shower cabinet in PMMA
- Manual marine toilet
- 1 Rigid holding tank 80 L / 21 US Gal
- Washbasin - Synthetic resin worktop, Mixing tap hot water / cold water
- Mirror
- Toilet accessories: Glass holder, Soap tray, Towel rail, Bin, Paper dispenser
- Cupboard and cubby hole
- 1 Fitted deckhouse side window with curtain
- 1 Opening porthole with curtain

AFT CABINS

Version 1 aft cabin

- Headroom: 2,05 m / 6'9"
- Diagonal double bed (2,00 x 1,60 m / 6'7" x 5'3"), Marine mattress
- Hanging locker, Cupboards, Lockers and cubby holes
- 1 Dressing table
- 1 Removable seat
- 2 Hull portholes with curtain
- 2 Opening portholes with curtain
- 2 Portholes opening onto cockpit with curtain
- 2 Opening deck hatches with blind / mosquito nets

Version 2 aft cabin(s)

- 2 Symmetrical cabins each one consisting of:
- Headroom: 2,05 m / 6'9"
 - Double bed (2,00 x 1,50 m / 6'7" x 4'11"), Marine mattress
 - Hanging locker, Lockers and cubby holes
 - 1 Hull porthole with curtain
 - 1 Opening porthole with curtain
 - 1 Porthole opening onto cockpit with curtain
 - 1 Opening deck hatch with shutter / mosquito nets
 - Access door to aft washroom in starboard cabin

ENGINE

- Engine Yanmar Diesel 75 hp/HP Sail Drive
- Engine control - Control panel in cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotation moulded diesel tank 200 L / 53 US Gal (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with gas piston) - 2 Engine access through aft cabins

ELECTRICITY

- 12 V circuit - 220 V circuit
- 2 service batteries (2x140 Ah) - 1 Engine battery (110 Ah)
- 1 40 Ah Battery charger - 1 220V shore power - 1 Charge divider
- Electrical panel (12 V / 220 V) (Circuit breakers - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning)
- 1 12 V Socket - 7 220 V Sockets
- Lighting: Halogen ceiling lights, Reading lights, White/red light fitting
- Navigation lights: 1 Forward and aft navigation lights - 1 Engine navigation light / Crosstree light forward of mast - 1 Mooring light on masthead - 1 Deck light
- Wire runs for options cables

PLUMBING

- 2 Roto moulded freshwater tanks (200 l / 53 US Gal Port aft cabin - 330 l / 87 US Gal Forward cabin) - 2 Deck fillers - Separate tank filling - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Accumulator tank - Inline filter
- 40 L / 11 US Gal Electric water heater (Operation off engine or on 220 V electrical system)
- 1 Rigid holding tank 80 L / 21 US Gal
- Delayed shower draining and electric shower drain pumps
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- 2 Gas bottle boxes in the cockpit
- Pressure reducing valve and safety tap

TRIM LEVEL

	AVANTAGE	ELEGANCE
2 Displays (colors) TFT ST70 RAYMARINE (Loch - Speedometer - Depth sounder - Windvane - Anemometer)	■	■
Slatted solid natural wood cockpit sole	■	■
3 Opening portholes in fixed side windows	■	■
1 Additional opening cockpit porthole in starboard aft cabin	■	■
Freshwater / Seawater foot pump	■	■
PMMA shower partition in forward washroom	■	■
LED indirect lighting in saloon	■	■
Navigation lights LED - Interior lights LED (Overhead lights)	■	■
2 140 amperes additional service batteries	■	■
1 40 amperes Additional battery charger	■	■
Releasable fore-stay chain-plate		■
1 Port electric coachroof winch H40.2STCEH		■
Polyester/wood cockpit table + White PVC protective cover		■
Leather covering on companionway and aft toilet closet partition handrails		■
Tall cupboards along hull in forward cabin		■
Mirror on forward partition of fore cabin		■
Mirror in forward cabin hanger closet		■
12V refrigeration unit in icebox with top opening		■
3 hob oven/grill cooker on de luxe mounting		■

OPTIONS

PACKS

PACK ELECTRONIC RAYMARINE

- PC interface
- Swivel base on reverse side of table
- 1 Multifunction screen C90W colour 9" (GPS, Chart plotter, Cartography Navionics Silver Europe included - Chart reader, supplied without chart)

PACK DOCKING

- 2 White PVC steering wheel covers
- Windlass control in cockpit with chain counter
- Complete mooring kit: (Anchor Delta 20 kg / 44 lbs, 32 m / 104'12" of 10 mm / 3/8" chain, 48 m / 157'6" 18 mm / 11/16" rope) - 4 Mooring ropes - 6 Fenders

PACK EASY DOCKING

- Bow thruster
- 2 White PVC steering wheel covers
- Windlass control in cockpit with chain counter
- Complete mooring kit: (Anchor Delta 20 kg / 44 lbs, 32 m / 104'12" of 10 mm / 3/8" chain, 48 m / 157'6" 18 mm / 11/16" rope) - 4 Mooring ropes - 6 Fenders

VERSION

DOCK & GO VERSION (Available Spring 2011)

- Swivel Sail Drive base
- Joystick
- Vessel Management Unit (VMU)
- Bow thruster
- Auto pilot

OTHER OPTIONS

- Tactile RAYMARINE E90W multifunction screen in cockpit to replace the C90W screen from the Pack Electronique
- Pilot SmartController RAYMARINE
- Radar (radome only) RAYMARINE
- Receiver AIS 500 RAYMARINE (Transmitter - Receiver)
- VHF RAYMARINE 49 E
- Pilot RAYMARINE ST70 (Integrated gyrocompass)
- Steel blue colour hull - Hull decorated in pearl grey
- Anodized mast furling with sail
- Windex
- 2 flag halyards
- Asymmetric spinnaker
- Asymmetric spinnaker rigging and boom
- Easy Sail (Genoa traveller adjustment from cockpit - Clutches on genoa sheet blocks - Backstay adjustments - Winch handle Harken Speedgrip - Winch handle box)
- 3 retractable blades propeller
- Solid wood slatted catwalks
- Perle coachroof sprayhood
- Perle Cockpit Bimini
- PVC cockpit cushions
- Double berth in saloon
- Swivel foldaway saloon table
- Slat mattresses
- Porthole mosquito nets
- Heating
- Air conditioning
- 5,5 KVA Generator
- Microwave oven
- TV LED 22" + Player DVD - CD - MP3
- TV Antenna
- Additional rigid sewage tank (80 l)
- Quiet Flush electric toilet
- Fabric upholstery
- Saloon upholstery Amaretta
- Saloon upholstery Leather